



Global Alliance
for Genomics & Health
Collaborate. Innovate. Accelerate.



Universität
Zürich^{UZH}

Beaconize this: Databases for Cancer Genomics and the Development of Open Data Standards



Michael Baudis

Professor of Bioinformatics

University of Zürich

Swiss Institute of Bioinformatics **SIB**

GA4GH Workstream Co-lead *DISCOVERY*

Co-lead ELIXIR Beacon API Development

Co-lead ELIXIR hCNV Community



Swiss Institute of
Bioinformatics



Theoretical Cytogenetics and Oncogenomics

Cancer Genomics | Data Resources | Methods & Standards for Genomics and Personalized Health



Michael Baudis

Curators
~~Data Parasites~~

Theoretical Cytogenetics and Oncogenomics

... but what does this entail @baudisgroup?




- patterns & markers in cancer genomics, especially somatic structural genome variants
- bioinformatics support in collaborative studies
- reference resources for curated cancer genome variations
- bioinformatics tools & methods
- standards and reference implementations for data sharing in genomics and personalized health
- open research data "ambassadoring"




Theoretical Cytogenetics and Oncogenomics Research | Methods | Standards

Genomic Imbalances in Cancer - Copy Number Variations (CNV)


- Point mutations (insertions, deletions, substitutions)
- Chromosomal rearrangements
- **Regional Copy Number Alterations (losses, gains)**
- Epigenetic changes (e.g. DNA methylation abnormalities)



2-event, homozygous deletion in a Glioblastoma



MYCN amplification in neuroblastoma (GSM314026, SJNB8_N cell line)



progenetix.net: storage and visualization of genomic aberration data in human malignancies
michael baudis, md

Over the last decade, techniques for the genome wide scanning for genomic imbalances in malignant neoplasia have been developed, e.g. Comparative Genomic Hybridization (CGH).

Currently, no comprehensive online source for CGH data with a standardized format suitable for data mining procedures has been made available for public access. Such a data repository could be valuable in identifying genetic aberration patterns with linkage to specific disease entities, and provide additional information for validating data from large scale expression array experiments.

A case and band specific aberration matrix was selected as most suitable format for the mining of CGH data. The [progenetix.net] data repository was developed to provide the according data to the research community for a growing number of human malignancies.

In the current implementation, two main purposes are being served. First, access to the band specific pattern of chromosomal imbalances allows the instantaneous identification of genomic "hotspots". Second, the band specific aberration matrices can be included in data mining efforts. As an example, the clustering of all informative cases from the current (September 2001) dataset is shown here (online source under www.progenetix.net/bcats/clustered.png).



Data selection

PubMed is searched for publications applying CGH to the analysis of malignant tumors. Articles are selected according to their online availability and the description of genomic imbalances on a per case basis.

Transformation of input data

Chromosomal aberration data is transformed via customized parsing commands to a common format adherent to ISCN 1995 recommendations. In some cases, aberration data was transcribed from graphical representations or provided by the authors.

Data storage

Currently, the primary data is stored in a dedicated "off-line" database. Besides case identifier and ISCN adapted chromosomal imbalance data, tumor classification and source information including the PubMed identifier is recorded. Disease entities are reclassified to ICD-O-3 codes.


Text parsing and generation of aberration matrix

For the generation of the case and band specific aberration matrix, a dedicated text pattern comparison model was developed using Perl. Briefly, for each chromosomal band, the aberration field of each case is searched for a variety of patterns containing aberration information applying to that band. A matrix with currently 324 band resolution is generated, annotating chromosomal gains with "1" and losses with "-1"; localized high-level gains are designated "2".

Website generation

For graphical representation of chromosomal imbalances, HTML pages containing different views of the underlying aberration matrices are generated using Perl. Graphics are implemented using HTML syntax. Besides band specific, whole genomic overviews, chromosome specific pages with links to all involved cases are generated for each ICD-O-3 entity as well as for each registered project. Additionally, those representations are available for several subsets combining related data (e.g. all lymphoid neoplasias, breast carcinoma cases). For each of the groups, the according aberration matrix is linked for download.

Hierarchical clustering of band specific chromosomal imbalances from 999 human neoplasias, contained in the [progenetix.net] collection. Cases without aberrations were excluded.



Progenetix.net: an online repository for molecular cytogenetic aberration data

Michael Baudis^{1,2,*} and Michael L. Cleary²

¹Medizinische Klinik und Poliklinik V der Universität Heidelberg, Germany and
²Department of Pathology, Stanford University Medical Center, Stanford, CA 94305, USA

Received on July 5, 2001; revised on July 9, 2001; accepted on July 16, 2001

ABSTRACT

Summary: Through sequencing projects and, more recently, array-based expression analysis experiments, a wealth of genetic data has become accessible via online resources. In contrast, few of the (molecular-) cytogenetic aberration data collected in the last decades are available in a format suitable for data mining procedures. www.progenetix.net is a new online repository for previously published chromosomal aberration data, allowing the addition of band-specific information about chromosomal imbalances to oncologic data analysis efforts.

Availability: <http://www.progenetix.net>
Contact: mbaudis@stanford.edu

Neoplastic transformation and progression is the result of genetic defects arising in normal cells and giving rise to a malignant clone. During the process of oncogenesis, some of the usually multiple steps required for acquisition of the full neoplastic phenotype may represent themselves as numerical or structural abnormalities in the chromosomes of the transformed cells.

Over the last decades, the analysis of chromosomal abnormalities in malignant cells has gained importance in oncologic research as well as in clinical practice. A vast number of genetic abnormalities has been identified in the virtually complete range of human neoplasias. Several attempts have been undertaken for collection and classification of those abnormalities, the most widely recognized being the catalog by Mitelman and co-workers (Mitelman, 1994; online access through <http://cgap.nci.nih.gov/Chromosomes/Mitelman>).

In addition to metaphase analysis of short-term cultivated tumor cells or tumor cell lines, molecular cytogenetic techniques have recently been applied to the analysis of chromosomal abnormalities in primary tumor tissues. One of the more widely used screening techniques is Comparative Genomic Hybridization (CGH; Kallion-

iemi *et al.*, 1992; du Manoir *et al.*, 1993). Briefly, this method is based on the competitive *in-situ* hybridization of differentially labeled tumor versus normal genomic DNA to normal human metaphase spreads. The calculation of the intensity ratios of the two fluorochromes gives an overview about relative gains and losses of DNA in the tumor genome with mapping to the respective chromosomal bands. The identification of frequently imbalanced regions in tumor entities may point towards tumor suppressor gene or proto-oncogenes mapping to the respective chromosomal bands. Usually, the result of those experiments is communicated either in text format according to the International System for Cytogenetic Nomenclature (Mitelman, 1995) or graphically, with aberration bars next to chromosomal ideograms for the representation of chromosomal gains and losses.

Because in each experiment CGH analysis covers the whole number of chromosomes, the comparison of data sets from related malignancies could lead to the delineation of common as well as divergent genetic pathways defining the respective malignant phenotypes. Although an extremely large number of malignant tumors has been analyzed using this technique, no comprehensive CGH database with band-specific chromosomal aberration information is publicly available[†].

A minimal requirement for such a database would be the conversion of the text or graphical information used in publications to data tables, representing the information about the aberration status of single chromosomal bands for each case. For the site discussed here, this process includes: (1) the transformation of the published results in a format adapted from the ISCN, and (2) the automatic generation of the band specific aberration table.

Due to format variations of the published data, step 1 consists of the manual conversion of the text data or evaluation and conversion of the graphical representations, respectively. Due to the (in computational terms) odd

*To whom correspondence should be addressed.

[†]Links to a number of online CGH resources with different scopes can be found at www.progenetix.net.

Cancer Genomics Reference Resource

- **open** resource for oncogenomic profiles
- over **116'000** cancer CNV profiles
- more than **800** diagnostic types
- inclusion of reference datasets (e.g. TCGA)
- standardized encodings (e.g. NCIt, ICD-O 3)
- identifier mapping for PMID, GEO, Cellosaurus, TCGA, cBioPortal where appropriate
- core clinical data (TNM, sex, survival ...)
- data mapping services
- recent addition of SNV data for some series

Cancer CNV Profiles

ICD-O Morphologies
ICD-O Organ Sites
Cancer Cell Lines
Clinical Categories

Search Samples

arrayMap

TCGA Samples
1000 Genomes
Reference Samples
DIPG Samples
cBioPortal Studies
Gao & Baudis, 2021

Publication DB

Genome Profiling
Progenetix Use

Services

NCIt Mappings
UBERON Mappings

Upload & Plot

Beacon⁺


Documentation

News
Downloads & Use
Cases
Services & API

Baudisgroup @ UZH

Cancer genome data @ progenetix.org

The Progenetix database provides an overview of mutation data in cancer, with a focus on copy number abnormalities (CNV / CNA), for all types of human malignancies. The data is based on *individual sample data* from currently **142063** samples.




[Download SVG](#) | [Go to NCIT:C4401](#) | [Download CNV Frequencies](#)

Example for aggregated CNV data in 126 samples in Floor of the Mouth Neoplasm. Here the frequency of regional **copy number gains** and **losses** are displayed for all 22 autosomes.

Progenetix Use Cases

Local CNV Frequencies

A typical use case on Progenetix is the search for local copy number aberrations - e.g. involving a gene - and the exploration of cancer types with these CNVs. The [\[Search Page \]](#) provides example use cases for designing queries. Results contain basic statistics as well as visualization and download options.



Cancer CNV Profiles

The progenetix resource contains data of **834** different cancer types (NCIt neoplasm classification), mapped to a variety of biological and technical categories. Frequency profiles of regional genomic gains and losses for all categories (diagnostic entity, publication, cohort ...) can be accessed through the [\[Cancer Types \]](#) page with direct visualization and options for sample retrieval and plotting options.

Cancer Genomics Publications

Through the [\[Publications \]](#) page Progenetix provides **4164** annotated references to research articles from cancer genome screening experiments (WGS, WES, aCGH, cCGH). The numbers of analyzed samples and possible availability in the Progenetix sample collection are indicated.

Cancer Genomics Reference Resource

- **open** resource for oncogenomic profiles
- over **116'000** cancer **CNV** profiles
- more than **800** diagnostic types
- inclusion of reference datasets (e.g. TCGA)
- standardized encodings (e.g. NCIt, ICD-O 3)
- identifier mapping for PMID, GEO, Cellosaurus, TCGA, cBioPortal where appropriate
- core clinical data (TNM, sex, survival ...)
- data mapping services
- recent addition of SNV data for some series

Cancer Types by National Cancer Institute NCIt Code

The cancer samples in Progenetix are mapped to several classification systems. For each of the classes, aggregated data is available by clicking the code. Additionally, a selection of the corresponding samples can be initiated by clicking the sample number or selecting one or more classes through the checkboxes.

Sample selection follows a hierarchical system in which samples matching the child terms of a selected class are included in the response.

Filter subsets e.g. by prefix

Hierarchy Depth: 4 levels

No Selection

NCIT:C3262:1

NCIT:C326

NCIT:C000

NCIT:C474

NCIT:C

NCIT:C

NCIT:C

NCIT

N

Glioblastoma (NCIT:C3058)


Sample Counts

- 4370 samples
- 4286 direct *NCIT:C3058* code matches
- 4384 CNV analyses

Search Samples

Select *NCIT:C3058* samples in the [Search Form](#)

Raw Data (click to show/hide)



[Download SVG](#) | [Go to NCIT:C3058](#) | [Download CNV Frequencies](#)

NCIT:C4822: Malignant Glioma (5598 samples, 5418 CNV profiles)

NCIT:C6770: Ependymal Tumor (627 samples, 627 CNV profiles)

NCIT:C6958: Astrocytic Tumor (5882 samples, 5896 CNV profiles)

NCIT:C6960: Oligodendroglial Tumor (703 samples, 703 CNV profiles)

NCIT:C8501: Brain Stem Glioma (2 samples, 2 CNV profiles)

NCIT:C3716: Primitive Neuroectodermal T... (2213 samples, 2214 CNV profiles)

NCIT:C4747: Glioneuronal and Neuronal Tumors (89 samples, 89 CNV profiles)

NCIT:C6965: Pineal Parenchymal Cell Neoplasm (51 samples, 51 CNV profiles)

progenetix.org

Cancer Genomics Reference Resource

- **open** resource for oncogenomic profiles
- over **116'000** cancer **CNV** profiles
- more than **800** diagnostic types
- inclusion of reference datasets (e.g. TCGA)
- standardized encodings (e.g. NCI, ICD-O 3)
- identifier mapping for PMID, GEO, Cellosaurus, TCGA, cBioPortal where appropriate
- core clinical data (TNM, sex, survival ...)
- data mapping services
- recent addition of SNV data for some series



Search Samples

CDKN2A Deletion Example MYC Duplication TP53 Del. in Cell Lines

K-562 Cell Line

Gene Spans Cytoband(s)

This example shows the query for CNV deletion variants overlapping the CDKN2A gene's coding region with at least a single base, but limited to "highly focal" hits (here i.e. <= ~1Mbp in size). The query can be modified e.g. through changing the position parameters or diagnosis.

Dataset
Progenetix x

Gene Symbol
Select...

Chromosome
NC_000009.12

Variant Type
EFO:0030067 (copy number deletion)

Start or Position
21500001-21975098

End (Range or Structural Var.)
21967753-22500000

Minimum Variant Length

Maximal Variant Length

Reference ID(s)
Select...

Cohorts

Cancer Classification(s)
NCIT:C3058: Glioblastoma (4... x

Clinical Classes
Select...

Genotypic Sex
Select...

Biosample Type
Select...

Filters **Filter Logic** **Include Child Terms**

AND Select...

Response Limit / Page Size
1000

Skip Pages
0

City
Select...

progenetix.org

Cancer Genomics Reference Resource

- **open** resource for oncogenomic profiles
- over **116'000** cancer **CNV** profiles
- more than **800** diagnostic types
- inclusion of reference datasets (e.g. TCGA)
- standardized encodings (e.g. NCIt, ICD-O 3)
- identifier mapping for PMID, GEO, Cellosaurus, TCGA, cBioPortal where appropriate
- core clinical data (TNM, sex, survival ...)
- data mapping services
- recent addition of SNV data for some series



Edit Query

Assembly: GRCh38 Chro: refseq:NC_000009.12 Start: 21500001-21975098

End: 21967753-22500000 Type: EFO:0030067 Filters: NCIT:C3058

progenetix

Matched Samples: 657

Retrieved Samples:

Variants: 276

Calls: 659

[UCSC region](#)

[Variants in UCSC](#)

[Dataset Responses \(JSON\)](#)


Visualization options

Results

Biosamples

Biosamples Map

Variants



[Reload histogram in new window](#)

Matched Subset Codes	Subset Samples	Matched Samples	Subset Match Frequencies
pgx:icdot-C71.4	4	1	0.250
pgx:icdom-94403	4286	653	0.152
NCIT:C3058	4370	653	0.149
pgx:icdot-C71.1	14	2	0.143
pgx:icdot-C71.9	7204	640	0.089
NCIT:C3796	84	4	0.048
pgx:icdom-94423	84	4	0.048
pgx:icdot-C71.0	1714	14	0.008

Download Sample Data (TSV)

1-657

Download Sample Data (JSON)


1-657

Cancer Cell Lines

Cancer Genomics Reference Resource

- starting from >5000 cell line CNV profiles
 - 5754 samples | 2163 cell lines
 - 256 different NCIT codes
- genomic mapping of annotated variants and additional data from several resources (ClinVar, CCLE, Cellosaurus...)
 - 16178 cell lines
 - 400 different NCIT codes
- query and data delivery through Beacon v2 API

➔ integration in data federation approaches



cancerellines

- Cancer Cell Lines^o
- Search Cell Lines
- Cell Line Listing
- CNV Profiles by Cancer Type
- Documentation
 - News
- Progenetix
 - Progenetix Data
 - Progenetix
 - Documentation
 - Publication DB
- Baudisgroup @ UZH

Cancer Cell Lines by Cellosaurus ID

The cancer cell lines in *cancerellines.org* are labeled by the hierarchially: Daughter cell lines are displayed below the parent as a daughter cell line of **HeLa (CVCL_0030)** and so forth.

Sample selection follows a hierarchical system in which same response. This means that one can retrieve all instances and for HeLa will also return the daughter lines by default - but

Cell Lines (with parental/derived hierarchies)

Filter subsets e.g. by prefix

Hierarchy Depth:

No Selection

- > cellosaurus:CVCL_0312: HOS (204 samples)
- > cellosaurus:CVCL_1575: NCI-H650 (6 samples)
- > cellosaurus:CVCL_1783: UM-UC-3 (9 samples)
- > cellosaurus:CVCL_0004: K-562 (28 samples)
- cellosaurus:CVCL_3827: K562/Adr
- > cellosaurus:CVCL_0589: Kasumi-1 (9 samples)
- > cellosaurus:CVCL_XK00: M397 (2 samples)
- > cellosaurus:CVCL_1650: Reh (11 samples)
- cellosaurus:CVCL_8857: EU-1 (1 sample)
- cellosaurus:CVCL_0011: KM-3 (1 sample)
- cellosaurus:CVCL_8462: NOI-90 (1 sample)
- cellosaurus:CVCL_ZV66: Reh/EphA
- cellosaurus:CVCL_A049: WSU-CLL
- > cellosaurus:CVCL_2063: HCC827 (27 samples)

Assembly: GRCh38 Chro: NC_000007.14 Start: 140713328 End: 140924929
Type: SNV

cellz

Matched Samples: 1058 UCSC region
Retrieved Samples: 1000 Variants in UCSC
Variants: 127 Dataset Responses (JSON)
Calls: 1444 Visualization options

Results Biosamples Variants Annotated Variants

Digest	Gene	Pathogenicity	Variant type	Variant Instances
7:140834768-140834769:G>A	BRAF		Missense variant	V: pgxvar-63ce6abca24c83054b B: pgxbs-3DfBeeAC
7:140734714-140734715:G>A	BRAF		Missense variant	V: pgxvar-63ce6acda24c83054b B: pgxbs-3fB2a14B
7:140753334-140753339:T>TGTA	BRAF	Pathogenic		V: pgxvar-63ce6a903319d2172d

Cell Line Details

HOS (cellosaurus:CVCL_0312)

Subset Type

- Cellosaurus - a knowledge resource on cell lines [cellosaurus:CVCL_0312](#)


Sample Counts

- 204 samples
- 57 direct *cellosaurus:CVCL_0312* code matches
- 21 CNV analyses

Search Samples

Select *cellosaurus:CVCL_0312* samples in the [Search Form](#)

Raw Data (click to show/hide)



[Download SVG](#) | [Go to cellosaurus:CVCL_0312](#) | [Download CNV Frequencies](#)

Gene Matches

Cytoband Matches Variants

ALK	. ABC-14 cells harbored no ALK mutations and were sensitive to ... crizotinib while also exhibiting MNGG HOS transforming gene (MET)	Rapid Acquisition of Alectinib Resistance in ALK-Positive Lung Cancer With High Tumor Mutation Burden (31374369)	ABSTRACT
AREG	crizotinib while also exhibiting MNGG HOS	Rapid Acquisition of Alectinib Resistance	ABSTRACT

Ontologies and Classifications



Services: Ontologymaps (NCIt)

The **ontologymaps** service provides equivalency mapping between ICD-O and other classification systems, notably NCIt and UBERON. It makes use of the sample-level mappings for NCIT and ICD-O 3 codes developed for the individual samples in the Progenetix collection.

NCIT and ICD-O 3

While NCIT treats diseases as **histologic** and **topographic** described entities (e.g. **NCIT:C7700: Ovarian adenocarcinoma**), these two components are represented separately in ICD-O, through the **Morphology** and **Topography** coding arms (e.g. here **8140/3** + **C56.9**).

More documentation with focus on the API functionality can be found on the [documentation pages](#).

The data of all mappings can be retrieved through this API call: [{JSON↗}](#)

Code Selection ⓘ

NCIT:C4337: Mantle Cell Lymphoma x | v

Optional: Limit with second selection v

Matching Code Mappings [{JSON↗}](#)

NCIT:C4337: Mantle Cell Lymphoma	pgx:icdom-96733: Mantle cell lymphoma	pgx:icdot-C77.9: Lymph nodes, NOS
NCIT:C4337: Mantle Cell Lymphoma	pgx:icdom-96733: Mantle cell lymphoma	pgx:icdot-C18.9: large intestine, excl. rectum and rectosigmoid junction
NCIT:C4337: Mantle Cell Lymphoma	pgx:icdom-96733: Mantle cell lymphoma	pgx:icdot-C42.2: Spleen

More than one code groups means that either mappings need refinements (e.g. additional specific NCIT classes for ICD-O T topographies) or you started out with an unspecific ICD-O M class and need to add a second selection.

In Progenetix all cancer diagnoses are coded to both NCIt neoplasm codes and ICD-O 3 Morphology + Topography combinations. The matched mappings are provided as lookup-service since neither an official ICD-O ontology nor such a "disease defined by ICD-O M+T" concept is codified anywhere.

List of filters recognized by different query endpoints

Public Ontologies with CURIE-based syntax

CURIE prefix	Code/Ontology	Examples
NCIT	NCIt Neoplasm ¹	NCIT:C27676
HP	HPO ²	HP:0012209
PMID	NCBI Pubmed ID	PMID:18810378
geo	NCBI Gene Expression Omnibus ³	geo:GPL6801 , geo:GSE19399 , geo:GSM491153
arrayexpress	EBI ArrayExpress ⁴	arrayexpress:E-MEXP-1008
cellosaurus	Cellosaurus - a knowledge resource on cell lines ⁵	cellosaurus:CVCL_1650
UBERON	Uberon Anatomical Ontology ⁶	UBERON:0000992
cbioportal	cBioPortal ⁹	cbioportal:msk_impact_2017

Private filters


Since some classifications cannot directly be referenced, and in accordance with the upcoming Beacon v2 concept of "private filters", Progenetix uses additionally a set of structured non-CURIE identifiers.

For terms with a `pgx` prefix, the [identifiers.org resolver](#) will

Filter prefix / local part	Code/Ontology	Example
pgx:icdom-...	ICD-O 3 ⁷ Morphologies (Progenetix)	pgx:icdom-81703
pgx:icdot...	ICD-O 3 ⁷ Topographies(Progenetix)	pgx:icdot-C04.9
TCGA	The Cancer Genome Atlas (Progenetix) ⁸	TCGA-000002fc-53a0-420e-b2aa-a40a358bba37
pgx:pgxcohort-...	Progenetix cohorts ¹⁰	pgx:pgxcohort-arraymap

Cancer Genomics Reference Resource

- **open** resource for oncogenomic profiles
- over **116'000 cancer CNV profiles**
- more than **800 diagnostic types**
- inclusion of reference datasets (e.g. TCGA)
- standardized encodings (e.g. NCI, ICD-O 3)
- identifier mapping for PMID, GEO, Cellosaurus, TCGA, cBioPortal where appropriate
- core clinical data (TNM, sex, survival ...)
- data mapping services
- recent addition of SNV data for some series



progenetix

- Cancer CNV Profiles**
- Search Samples**
- Studies & Cohorts**
 - arrayMap
 - TCGA Samples
 - DIPG Samples
 - Gao & Baudis, 2021
 - Cancer Cell Lines
- Publication DB**
 - Genome Profiling
 - Progenetix Use
- Services**
 - NCIt Mappings
 - UBERON Mappings
- Upload & Plot**
- Download Data**
- Beacon⁺**
- Progenetix Info**
 - About Progenetix




Progenetix Publication Collection


The current page lists articles describing whole genome screening (WGS, WES, aCGH, cCGH) experiments in cancer, registered in the Progenetix publication collection. For each publication the table indicates the numbers of samples analysed with a given technology and if sample profiles are available in Progenetix.

Please [contact us](#) to alert us about additional articles you are aware of. The inclusion criteria are described [in the documentation](#).

New Oct 2021 You can now directly submit suggestions for matching publications to the [oncopubs repository on Github](#).

Filter ⓘ **City** ⓘ

Publications (3349)		Samples				
id ⓘ ▼	Publication	cCGH	aCGH	WES	WGS	pgx
PMID:34604048	Dai J, Jiang M, He K, Wang H, Chen P et al. (2021) DNA Damage Response and Repair Gene Alterations Increase Tumor Mutational Burden and ... Front Oncol 	0	0	122	0	0
PMID:34573430	Juhari WKW, Ahmad Amin Noordin KB et al. (2021) Whole-Genome Profiles of Malay Colorectal Cancer Patients with Intact MMR Proteins. ... Genes (Basel) 	0	0	0	7	0
PMID:34307137	Xu S, Li X, Zhang H, Zu L, Yang L et al. (2021) Frequent Genetic Alterations and Their Clinical Significance in Patients With Thymic Epithelial ... Front Oncol 	0	0	0	123	0
		0	0			
		0	0			
		135				
		0	0			




{BioInformaticsScience}

```
for t in pars.keys():  
  
    covs = np.zeros((cs_no, int_no))  
    vals = np.zeros((cs_no, int_no))  
  
    if type(callsets).__name__ == "Cursor":  
        callsets.rewind()  
  
    for i, cs in enumerate(callsets):  
        covs[i] = cs["cnv_statusmaps"][pars[t]["cov_l"]]  
        vals[i] = cs["cnv_statusmaps"][pars[t]["val_l"]]  
  
    counts = np.count_nonzero(covs >= min_f, axis=0)  
    frequencies = np.around(counts * f_factor, 3)  
    medians = np.around(np.ma.median(np.ma.masked_where(covs < min_f, vals), axis=0).filled(0), 3)  
    means = np.around(np.ma.mean(np.ma.masked_where(covs < min_f, vals), axis=0).filled(0), 3)  
  
    for i, interval in enumerate(int_fs):  
        int_fs[i].update({  
            t + "_frequency": frequencies[i],  
            t + "_median": medians[i],  
            t + "_mean": means[i]  
        })
```



Genome CNV coverage in Cancer Classes


- 43654 out of 93640 CNV profiles; filtered for entities w/ >200 samples (removed some entities w/ high CNV rate, e.g. sarcoma subtypes)
- Single-sample CNV profiles were assessed for the fraction of the genome showing CNVs (relative gains, losses)
- range of medians 0.001 (CML) - 0.358 (malignant melanomas)



Chronic Myelogenous Leukemia Bcr-Abl1 Positive [222]
 T Acute Lymphoblastic Leukemia [228]
 Chronic Lymphocytic Leukemia [2170]
 Nodal Marginal Zone Lymphoma [210]
 Splenic Marginal Zone Lymphoma [323]
 Acute Myeloid Leukemia [3228]
 Follicular Lymphoma [1158]
 Myelodysplastic Syndrome [715]
 Mantle Cell Lymphoma [340]
 Acute Lymphoblastic Leukemia [1013]
 Endometrial Endometrioid Adenocarcinoma [283]
 Prostate Adenocarcinoma [394]
 Tanyocytic Ependymoma [1094]
 Oral Cavity Squamous Cell Carcinoma [307]
 Cervical Squamous Cell Carcinoma [544]
 Diffuse Large b-Cell Lymphoma [304]
 Medulloblastoma [342]
 Plasma Cell Myeloma [1121]
 Clear Cell Renal Cell Carcinoma [2022]
 Malignant Gastrointestinal Stromal Tumor [1383]
 Bladder Urothelial Carcinoma [1474]
 Oropharyngeal Carcinoma [1257]
 Colon Adenocarcinoma [355]
 Glioblastoma [549]
 Pancreatic Adenocarcinoma [2041]
 Squamous Cell Carcinoma [2475]
 Breast Adenocarcinoma [507]
 Hepatocellular Carcinoma [348]
 Gastric Adenocarcinoma [7992]
 Non-Small Cell Lung Carcinoma [816]
 Rectal Adenocarcinoma [1214]
 Esophageal Adenocarcinoma [1862]
 Ovarian Carcinoma [278]
 Lung Adenocarcinoma [988]
 Esophageal Squamous Cell Carcinoma [596]
 Squamous Cell Lung Carcinoma [1062]
 Squamous Cell Lung Carcinoma [435]
 Melanoma [876]
 Melanoma [1128]



Lowest / Highest CNV fractions =>



Population stratification in cancer samples based on SNP array data

- Despite extensive somatic mutations of cancer profiling data, consistency between germline and cancer samples reached 97% and 92% for 5 and 26 populations
- Comparison of our benchmarked results with self-reported meta-data estimated a matching rate between 88 % to 92%.
- Ethnicity labels indicated in meta-data are vague compared to the standardized output from our tool




Figure S1 The fraction or contribution of theoretical ancestors ($k=9$) in reference individuals from 1000 Genomes Project with regard to nine SNP array platforms. The x-axis are individual samples, grouped by their respective population. Groups belonging to the same continent/superpopulation are placed neighboring to each other: AFR (1-7), SAS (8-12), EAS (13-17), EUR (18-22), AMR (23-26).

Somatic Mutations In Cancer: Patterns

Making the case for genomic classifications

Some related cancer entities show similar copy number profiles


- 9390/1: choroid plexus papilloma, nos (39)
- 9442/3: gliosarcoma (41)
- 9440/3: glioblastoma, nos (1241)
- 9401/3: astrocytoma, anaplastic (124)
- 9380/3: glioma, nos (99)
- 9702/3: malignant lymphoma, t-cell nos (48)
- 9381/3: gliomatosis cerebri (23)
- 9530/3: meningioma, malignant (60)
- 9394/1: myxopapillary ependymoma (22)

- 9451/3: oligodendroglioma, anaplastic (78)
- 9382/3: oligoastrocytoma (121)
- 9450/3: oligodendroglioma, nos (147)

- 9698/3: follicular lymphoma, grade 3 (31)
- 9690/3: follicular lymphoma, nos (753)
- 9680/3: diffuse large b-cell lymphoma, nos (1263)
- 9591/3: malignant lymphoma, b-cell nos (62)
- 9590/3: malignant lymphoma, nos (43)
- 9673/3: mantle cell lymphoma (499)


- 9984/3: refractory anemia with excess blasts in transformation [raebt] (24)
- 9983/3: refractory anemia with excess blasts [raeb] (38)
- 9867/3: acute myelomonocytic leukemia [fab type m4] (32)
- 9920/3: therapy-related acute myeloid leukemia, nos (32)
- 9891/3: acute monoblastic leukemia [fab m5] (23)

- 9051/3: desmoplastic mesothelioma (59)
- 9053/3: mesothelioma, biphasic, malignant (27)
- 9050/3: mesothelioma, nos (81)
- 9052/3: epithelioid mesothelioma, malignant (64)




CNV profiles heterogeneity vs cancer classification

Correspondance of genomic profiles to NCIT cancer hierarchy



CNA & Cancer heterogeneity



Cancer type definitions can be improved by the addition of molecular parameters as subtype markers or even complete re-evaluation of entity definitions from molecular subtypes with distinct functional mechanisms and clinical trajectories.



Intertumoral heterogeneity with medulloblastoma subgroups.
Cavalli, Florence MG, et al. "Intertumoral heterogeneity within medulloblastoma subgroups."
Cancer Cell 31.6 (2017): 737-754.

Results



Entity CNV heterogeneity: Neuroblastoma



group cluster	CNV features
15968	Dup 7
27037	Dup 17q
27179	Del 11q, Dup 17q
28527	Del 1p
28538	Del 1p, Dup 17q

Results


Entity CNV heterogeneity: Glioblastoma




group cluster	CNV features
15968	Dup 7
19069	Del 10
19198	Dup 7, Del 10
22279	Dup 7, Del 10, Dup 19
22292	Dup 7, Del 10, Del 13
27175	Del 1p, Del 19q
29242	Dup 19
30914	Dup 7, Del 10, Dup 19, Dup 20

CNV Categorization

different levels of CNV



Rameen et al 2010 Nature



CopyNumberChange

Copy Number Change captures a categorization of copies of a molecule within a system, relative to a baseline. These types of Variation are common outputs from CNV callers, particularly in the somatic domain where integral [CopyNumberCount](#) are difficult to estimate and less useful in practice than relative statements. Somatic CNV callers typically express changes as relative statements, and many HGVS expressions submitted to express copy number variation are interpreted to be relative copy changes.

Computational Definition

An assessment of the copy number of a [Location](#) or a [Feature](#) within a system (e.g. genome, cell, etc.) relative to a baseline ploidy.

Information Model

Some CopyNumberChange attributes are inherited from [Variation](#).

Field	Type	Limits	Description
_id	CURIE	0..1	Variation Id. MUST be unique within document.
type	string	1..1	MUST be "CopyNumberChange"
subject	Location CURIE Feature	1..1	A location for which the number of systemic copies is described.
copy_change	string	1..1	MUST be one of "efo:0030069" (complete genomic loss), "efo:0020073" (high-level loss), "efo:0030068" (low-level loss), "efo:0030067" (loss), "efo:0030064" (regional base ploidy), "efo:0030070" (gain), "efo:0030071" (low-level gain), "efo:0030072" (high-level gain).

CNV Term Use Comparison


in computational (file/schema) formats

EFO	Beacon	VCF	SO	GA4GH VRS1.3
EFO:0030070 copy number gain	DUP or EFO:0030070	DUP SVCLAIM=D	SO:0001742 copy_number_gain	EFO:0030070 gain
EFO:0030071 low-level copy number gain	DUP or EFO:0030071	DUP SVCLAIM=D	SO:0001742 copy_number_gain	EFO:0030071 low-level gain
EFO:0030072 high-level copy number gain	DUP or EFO:0030072	DUP SVCLAIM=D	SO:0001742 copy_number_gain	EFO:0030072 high-level gain
EFO:0030073 focal genome amplification	DUP or EFO:0030073	DUP SVCLAIM=D	SO:0001742 copy_number_gain	EFO:0030072 high-level gain
EFO:0030067 copy number loss	DEL or EFO:0030067	DEL SVCLAIM=D	SO:0001743 copy_number_loss	EFO:0030067 loss
EFO:0030068 low-level copy number loss	DEL or EFO:0030068	DEL SVCLAIM=D	SO:0001743 copy_number_loss	EFO:0030068 low-level loss
EFO:0020073 high-level copy number loss	DEL or EFO:0020073	DEL SVCLAIM=D	SO:0001743 copy_number_loss	EFO:0020073 high-level loss
EFO:0030069 complete genomic deletion	DEL or EFO:0030069	DEL SVCLAIM=D	SO:0001743 copy_number_loss	EFO:0030069 complete genomic loss

labelSeg


segment annotation for tumor copy number variation profiles

Signal from probes in microarray or from reads in NGS




Segmentation

a step to split the chromosomes into regions of equal copy number that accounts for the noise in the data.



threshold for calling
threshold for calling



Low-level dup

README.md

labelSeg

This is an R package designed to identify and label different levels of Copy Number Alterations (CNA) in segmented profiles.

Installation

To install the package, you can use the `devtools` package as follows:


```
install.packages("devtools")
devtools::install_github("baudisgroup/labelSeg")
```

Packages
No packages published

Languages
R 100.0%

labelSeg


segment annotation for tumor copy number variation profiles







Pipeline Development

improve CNV calling in large numbers of heterogeneous cancer samples

nextflow




Pituitary Gland Carcinoma




Where does Genomic Data Come From?

Geographic bias in published cancer genome profiling studies



DATABASE
The Journal of Biological Databases and Curation

Database, 2020, 1–9
doi: 10.1093/databa/baaa009
Articles



Articles

Geographic assessment of cancer genome profiling studies

Paula Carrio-Cordo^{1,2}, Elise Acheson³, Qingyao Huang^{1,2} and Michael Baudis^{1,*}

¹Institute of Molecular Life Sciences, University of Zurich, Zurich, Switzerland ²Swiss Institute of Bioinformatics, Zurich, Switzerland ³Department of Geography, University of Zurich, Zurich, Switzerland

Map of the geographic distribution (by first author affiliation) of the 104'543 genomic array, 36'766 chromosomal CGH and 15'409 whole genome/exome based cancer genome datasets. The numbers are derived from the 3'240 publications registered in the Progenetix database.



Global Alliance
for Genomics & Health
Collaborate. Innovate. Accelerate.




GENOMICS

A federated ecosystem for sharing genomic, clinical data

Silos of genome data collection are being transformed into seamlessly connected, independent systems

A federated data ecosystem. To share genomic data globally, this approach furthers medical research without requiring compatible data sets or compromising patient identity.



Commentary

International federation of genomic medicine databases using GA4GH standards

Adrian Thorogood,^{1,2,*} Heidi L. Rehm,^{3,4} Peter Goodhand,^{5,6} Angela J.H. Page,^{4,5} Yann Joly,² Michael Baudis,⁷ Jordi Rambla,^{8,9} Arcadi Navarro,^{8,10,11,12} Tommi H. Nyronen,^{13,14} Mikael Linden,^{13,14} Edward S. Dove,¹⁵ Marc Fiume,¹⁶ Michael Brudno,¹⁷ Melissa S. Cline,¹⁸ and Ewan Birney¹⁹

INFORMATICS

Beacon v2 and Beacon networks: federated data discovery in biomedicine

Jordi Rambla^{1,2} | Michael Baudis³ | Roberto Ariosa¹ | Tim Beck⁴ |
 Lauren A. Fromont¹ | Arcadi Navarro^{1,5,6,7} | Rahel Paloots³ |
 Manuel Rueda¹ | Gary Saunders⁸ | Babita Singh¹ | John D. Spalding⁹ |
 Juha Törnroos⁹ | Claudia Vasallo¹ | Colin D. Veal⁴ | Anthony J. Brookes¹⁰

Perspective

GA4GH: International policies and standards for data sharing across genomic research and healthcare

Heidi L. Rehm,^{1,2,47} Angela J.H. Page,^{1,3,*} Lindsay Smith,^{3,4} Jeremy B. Adams,^{3,4} Gil Alterovitz,^{5,47} Lawrence J. Babb,¹ Maxmillian P. Barkley,⁶ Michael Baudis,^{7,8} Michael J.S. Beauvais,^{3,9} Tim Beck,¹⁰ Jacques S. Beckmann,¹¹ Sergi Beltran,^{12,13,14} David Bernick,¹ Alexander Bernier,⁹ James K. Bonfield,¹⁵ Tiffany F. Boughtwood,^{16,17} Guillaume Bourque,^{9,18} Sarion R. Bowers,¹⁵ Anthony J. Brookes,¹⁰ Michael Brudno,^{18,19,20,21,38} Matthew H. Brush,²² David Bujold,^{9,18,38} Tony Burdett,²³ Orion J. Buske,²⁴ Moran N. Cabili,¹ Daniel L. Cameron,^{25,26} Robert J. Carroll,²⁷ Esmeralda Casas-Silva,¹²³ Debyani Chakravarty,²⁹ Bimal P. Chaudhari,^{30,31} Shu Hui Chen,³² J. Michael Cherry,³³ Justina Chung,^{3,4} Melissa Cline,³⁴ Hayley L. Clissold,¹⁵ Robert M. Cook-Deegan,³⁵ Mélanie Courtot,²³ Fiona Cunningham,²³ Miro Cupak,⁶ Robert M. Davies,¹⁵ Danielle Denisko,¹⁹ Megan J. Doerr,³⁶ Lena I. Dolman,¹⁹

(Author list continued on next page)


Technology

The GA4GH Variation Representation Specification: A computational framework for variation representation and federated identification

Alex H. Wagner,^{1,2,25,*} Lawrence Babb,^{3,*} Gil Alterovitz,^{4,5} Michael Baudis,⁶ Matthew Brush,⁷ Daniel L. Cameron,^{8,9} Melissa Cline,¹⁰ Malachi Griffith,¹¹ Obi L. Griffith,¹¹ Sarah E. Hunt,¹² David Kreda,¹³ Jennifer M. Lee,¹⁴ Stephanie Li,¹⁵ Javier Lopez,¹⁶ Eric Moyer,¹⁷ Tristan Nelson,¹⁸ Ronak Y. Patel,¹⁹ Kevin Riehle,¹⁹ Peter N. Robinson,²⁰ Shawn Rynearson,²¹ Helen Schuilenburg,¹² Kirill Tsukanov,¹² Brian Walsh,⁷ Melissa Konopko,¹⁵ Heidi L. Rehm,^{3,22} Andrew D. Yates,¹² Robert R. Freimuth,²³ and Reece K. Hart^{3,24,*}



Global Genomic Data Sharing Can...



Demonstrate
patterns in health
& disease



Increase statistical
significance of
analyses



Lead to
“stronger” variant
interpretations



Increase
accurate
diagnosis



Advance
precision
medicine

Different Approaches to Data Sharing




Centralized Genomic Knowledge Bases



Data Commons
Trusted, controlled repository of multiple datasets



Hub and Spoke
Common data elements, access, and usage rules



Linkage of distributed and disparate datasets

Different Approaches to Data Sharing




Centralized Genomic Knowledge Bases



Data Commons
Trusted, controlled repository of multiple datasets



Hub and Spoke
Common data elements, access, and usage rules



Linkage of distributed and disparate datasets

Different Approaches to Data Sharing

progenetix




Centralized Genomic Knowledge Bases



Data Commons
Trusted, controlled repository of multiple datasets



Hub and Spoke
Common data elements, access, and usage rules



Linkage of distributed and disparate datasets

Different Approaches to Data Sharing



Centralized Genomic Knowledge Bases



Data Commons
Trusted, controlled repository of multiple datasets



Hub and Spoke
Common data elements, access, and usage rules



Linkage of distributed and disparate datasets

The EGA



Long term secure archive for human biomedical research sensitive data, with focus on reuse of the data for further research (or “*broad and responsible use of genomic data*”)



The EGA




- EGA “owns” nothing; data controllers tell who is authorized to access **their** datasets
- EGA admins provide smooth “all or nothing” data sharing process

The screenshot shows the EGA DAC interface. The top part displays 'My DACs - EGAC50000000005 - Requests' with 'EuCanImage DAC' and a description 'This is a DAC for EuCanImage data'. Below this is a search bar and a list of requests. The bottom part shows 'My DACs - EGAC50000000005 - History' with 'EuCanImage DAC' and a description 'This is a DAC for EuCanImage data'. Below this is a search bar and a table of history entries.

Date	Requester	Dataset	DAC Admin/Member	Actions
18 August 2022	gemma.milla@crg.eu	EGAD500000000032	Dr Lauren A Fromont	
17 August 2022	Dr Teresa Garcia Lezana	EGAD500000000033	Dr Teresa Garcia Lezana	revoke permission <input type="checkbox"/>
16 August 2022	Dr Teresa Garcia Lezana	EGAD500000000032	Dr Lauren A Fromont	revoke permission <input type="checkbox"/>

Files



4,328 Studies released
10,470 Datasets
2,309 Data Access Committees

Different Approaches to Data Sharing




Centralized Genomic Knowledge Bases



Data Commons
Trusted, controlled repository of multiple datasets




Hub and Spoke
Common data elements, access, and usage rules



Linkage of distributed and disparate datasets

The Swiss Personalized Health Network



Strategic Focus Area
Personalized Health and Related Technologies

ehealthsuisse

FN-SNF
FONDS NATIONAL SUISSE
SCHWEIZERISCHER NATIONALFONDS
FONDO NAZIONALE SVIZZERO
SWISS NATIONAL SCIENCE FOUNDATION

THE LOOP ZÜRICH
MEDICAL RESEARCH CENTER

Personalized Health Alliance
Basel-Zurich

SWISS BIOBANKING PLATFORM

SAKK
WE BRING PROGRESS TO CANCER CARE

SCTO

SSPH+
SWISS SCHOOL OF PUBLIC HEALTH

life sciences
cluster basel

SIB Personalized Health Informatics Group
SPHN Data Coordination Center (DCC)
BioMedIT Network

University Hospital Basel

USZ Universitäts Spital Zürich

HUG Hôpitaux Universitaires Genève

CHUV Centre hospitalier universitaire vaudois

INSELSPITAL
UNIVERSITÄTSSPITAL BERN
HOPITAL UNIVERSITAIRE DE BERNE
BERN UNIVERSITY HOSPITAL

swissuniversities

Universitäre Medizin Schweiz
Médecine Universitaire Suisse



Different Approaches to Data Sharing




Centralized Genomic Knowledge Bases



Data Commons
Trusted, controlled repository of multiple datasets



Hub and Spoke
Common data elements, access, and usage rules



Linkage of distributed and disparate datasets

Federation

A New Paradigm for Data Sharing

FROM



Data Copying

TO



Data Visiting

A New Paradigm for Data Sharing

FROM



Data Copying

STANDARDS




TO



Data Visiting

Overview of GA4GH standards and frameworks




Phenopackets v2



Phenopackets is a standard schema for sharing phenotypic information.

Approved: June 24, 2021

Example Users



Cafe Variome NIH
AMED PHENOTIPS™
RD Connect



VCF/BCF

The Variant Call Format (VCF) specifies the format of a text file used in bioinformatics for storing gene sequence variations. The Binary Call Format (BCF) is the Binary equivalent, smaller and more efficient to process.

Software Libraries: [htslib](#) | [htsjdk](#)

Tools: [Samtools](#) | [BCFtools](#)

Databases: [European Variation Archive \(EVA\)](#) | [dbGAP](#) | [dbSNP](#) | [1000 Genomes Projects / IGSR](#)


Genome Browsers: [ENSEMBL](#) | [JBrowse](#) | [UCSC Genome Browser](#)

**Example
Users**

All of Us
RESEARCH PROGRAM

 **BROAD**
INSTITUTE

elixir


EMBL-EBI 

Genomics
england 


CRAM

CRAM is a file format for storing compressed genomic data. To make files small and efficient, the algorithm compresses information by only storing the parts that are different from the reference human genome.

1.5 million+ CRAM files
store more than **4 petabytes**
of compressed genomic data around the globe




CRAM compresses data by only storing the difference.



Beacon API v2

The Beacon API can be implemented as a web-accessible service that users may query for information about a specific allele.

Approved: April 21, 2022




Have you seen deletions in this region on chromosome 9 in Glioblastomas from a juvenile patient, in a dataset with unrestricted access?



Beacon v2 API


The Beacon API v2 proposal opens the way for the design of a simple but powerful "genomics API".

Example Users





Global Alliance
for Genomics & Health
Collaborate. Innovate. Accelerate.



The GA4GH Beacon Protocol

Federating Genomic Discoveries



Beacon



A **Beacon** answers a query for a specific genome variant against individual or aggregate genome collections

YES | **NO** | \0




Have you seen this variant?
It came up in my patient
and we don't know if this is
a common SNP or worth
following up.


A Beacon network federates
genome variant queries
across databases that
support the **Beacon API**

Here: The variant has
been found in **few**
resources, and those
are from **disease**
specific **collections**.


Beacon v2

docs.genomebeacons.org





Can you provide data about focal deletions in CDKN2A in Glioblastomas from juvenile patients with unrestricted access?



Beacon v2 API

The Beacon API v2 represents a simple but powerful **genomics API** for **federated** data discovery and retrieval

Progenetix and GA4GH Beacon

Implementation driven development of a GA4GH standard

Progenetix & Beacon

Implementation driven standards development

- Progenetix Beacon+ has served as implementation driver since 2016
- prototyping of advanced Beacon features such as
 - ➔ structural variant queries
 - ➔ data handovers
 - ➔ Phenopackets integration



Beacon v2 GA4GH Approval Registry

Beacons: EUROPEAN GENOME-PHENOME ARCHIVE, progenetix, cnag, UNIVERSITY OF LEICESTER

Beacon	GA4GH Approval Beacon Test	Implementation Status
European Genome-Phenome Archive (EGA)	GA4GH Approval Beacon Test This Beacon is based on the GA4GH Beacon v2.0	BeaconMap: ✓ Bioinformatics analysis: ✓ Biological Sample: ✓ Cohort: ✓ Configuration: ✓ Dataset: ✓ EntryTypes: ✓ Genomic Variants: ✓ Individual: ✓ Info: ✓ Sequencing run: ✓
Theoretical Cytogenetics and Oncogenomics group at UZH and SIB	Progenetix Cancer Genomics Beacon+ Beacon+ provides a forward looking implementation of the Beacon v2 API, with focus on structural genome variants and metadata based on the...	BeaconMap: ✓ Bioinformatics analysis: ✓ Biological Sample: ✓ Cohort: ✓ Configuration: ✓ Dataset: ✓ EntryTypes: ✓ Genomic Variants: ✓ Individual: ✓ Info: ✓ Sequencing run: ✓
Centre Nacional Analisis Genomica (CNAG-CRG)	Beacon @ RD-Connect This Beacon is based on the GA4GH Beacon v2.0	BeaconMap: ✓ Bioinformatics analysis: ✓ Biological Sample: ✗ Cohort: ✓ Configuration: ✓ Dataset: ✗ EntryTypes: ✓ Genomic Variants: ✓ Individual: ✗ Info: ✗ Sequencing run: ✓
University of Leicester	Cafe Variome Beacon v2 This Beacon is based on the GA4GH Beacon v2.0	BeaconMap: ✓ Bioinformatics analysis: ✓ Biological Sample: ✓ Cohort: ✓ Configuration: ✓ Dataset: ✓ EntryTypes: ✓ Genomic Variants: ✓ Individual: ✓ Info: ✓ Sequencing run: ✓

Legend: ✓ Matches the Spec, ✗ Not Match the Spec, ○ Not Implemented

Beacon protocol response verifier at time of GA4GH approval Spring 2022

Beacon v1 Development

Beacon v2 Development

Related ...

2014

GA4GH founding event; Jim Ostell proposes Beacon concept including "more features ... version 2"

2015

- beacon-network.org aggregator created by DNASTack

2016

- Beacon v0.3 release
- work on queries for structural variants (brackets for fuzzy start and end parameters...)

2017

- OpenAPI implementation
- integrating CNV parameters (e.g. "startMin, statMax")

2018

- Beacon v0.4 release in January; feature release for GA4GH approval process
- GA4GH Beacon v1 approved at Oct plenary

2019

- ELIXIR Beacon Network

2020

2021

2022

- Beacon* concept implemented on progenetix.org
- concepts from GA4GH Metadata (ontologies...)
- entity-scoped query parameters ("individual.age")

- Beacon* demos "handover" concept

- Beacon hackathon Stockholm; settling on "filters"
- Barcelona goes Zurich developers meeting
- Beacon API v2 Kick off
- adopting "handover" concept

- "Scouts" teams working on different aspects - filters, genomic variants, compliance ...
- discussions w/ clinical stakeholders

- framework + models concept implemented
- range and bracket queries, variant length parameters
- starting of GA4GH review process

- further changes esp. in default model, aligning with Phenopackets and VRS
- unified beacon-v2 code & docs repository
- Beacon v2 approved at Apr GA4GH Connect

- ELIXIR starts Beacon project support

- GA4GH re-structuring (workstreams...)
- Beacon part of Discovery WS

- new Beacon website (March)

- Beacon publication at Nature Biotechnology

- Phenopackets v2 approved

- docs.genomebeacons.org

Beacon+ by Progenetix

From Beacon Query to Explorative Analyses of CNV Patterns

- Since 2016 the Progenetix resource has been used to model options for Beacon development
 - 138334 individual samples from 698 cancer types
- The consistent use of hierarchical diagnostic codes allows the use of Beacon "filters" for histopathological/clinically scoped queries
- Beacon's handover protocols can be utilized for data retrieval and, well, handing over to additional services, e.g.
 - downloads
 - visualization
 - use of external services (UCSC browser display...)



Search Samples

[CNV Request](#) [Allele Request](#) [Range Query](#) [All Fields](#)

CNV Example

This query type is for copy number queries ("variantCNVrequest"), e.g. using fuzzy ranges for start and end positions to capture a set of similar variants.

Dataset

progenetix x | v

Cohorts

Select... | v

Genome Assembly

GRCh38 / hg38 | v

Gene Symbol

Select... | v

Reference name

9 | v

(Structural) Variant Type

DEL | v

Start or Position

19000001-21975098

End (Range or Structural Var.)

21967753-24000000

Minimum Variant Length

Maximal Variant Length

Cancer Classification(s)

Select... | v

Filters

City

Select... | v

Query Database


Beacon v2 Filters

Example: Use of hierarchical classification systems (here NCIt neoplasm core)

- Beacon v2 "filters" assumes inclusion of child terms when using hierarchical classifications

➔ implicit *OR* with otherwise assumed *AND*

- implementation of hierarchical annotations overcomes some limitations of "fuzzy" disease annotations



Beacon+ specific: Multiple term selection with OR logic

<input checked="" type="checkbox"/>	> NCIT:C4914: Skin Carcinoma	213
<input type="checkbox"/>	> NCIT:C4475: Dermal Neoplasm	109
<input checked="" type="checkbox"/>	▼ NCIT:C45240: Cutaneous Hematopoietic and Lymphoid Cell Neoplasm	310



Filters: NCIT:C4914, NCIT:C4819, NCIT:C9231, NCIT:C2921, NCIT:C45240, NCIT:C6858, NCIT:C3467, NCIT:C45340, NCIT:C7195, NCIT:C3246, NCIT:C7217



progenetix

Variants: 0 f_alleles: 0 [Callsets Variants](#) [UCSC region](#)
Calls: 0 [Legacy Interface](#) [Show JSON Response](#)

Samples: 523

Results **Biosamples**

Id	Description	Classifications	Identifiers	DEL	DUP	CNV
PGX_AM_BS_MCC01	Merkel cell carcinoma	icdot-C44.9 Skin, NOS icdom-82473 Merkel cell carcinoma NCIT:C9231 Merkel Cell Carcinoma	PMID:9537255	0.116	0.104	0.22
PGX_AM_BS_MCC02	Merkel cell carcinoma	icdot-C44.9 Skin, NOS icdom-82473 Merkel cell carcinoma NCIT:C9231 Merkel Cell Carcinoma	PMID:9537255	0.154	0.056	0.21
PGX_AM_BS_MCC03	Merkel cell carcinoma	icdot-C44.9 Skin, NOS icdom-82473 Merkel cell carcinoma NCIT:C9231 Merkel Cell Carcinoma	PMID:9537255	0.137	0.21	0.347
PGX_AM_BS_MCC04	Merkel cell carcinoma	icdot-C44.9 Skin, NOS icdom-82473 Merkel cell carcinoma NCIT:C9231 Merkel Cell Carcinoma	PMID:9537255	0.158	0.056	0.214
PGX_AM_BS_MCC05	Merkel cell carcinoma	icdot-C44.9 Skin, NOS icdom-82473 Merkel cell carcinoma NCIT:C9231 Merkel Cell Carcinoma	PMID:9537255	0.107	0.327	0.434

Page 1 of 105

Beacon Queries

Implementation of Current Options

- (so far) the Beacon model does not define explicit query types
- disambiguation of parameters is left to implementers
- implicit query types:
 - ➔ allele/sequence query
 - ➔ range query, w/ or w/o additional parameters
 - ➔ bracket query (e.g. sized CNVs)
 - ➔ aminoacid, HGVS, gene

beaconplus.progenetix.org

Beacon Query Types

Sequence / Allele

CNV (Bracket)

Genomic Range

Aminoacid

Gene ID

HGVS

Sam

Dataset

Test Database - exemplez x

Chromosome *i*

Select...

Variant Type *i*

Select...

Start or Position *i*

19000001-21975098

Reference Base(s) *i*

N

Alternate Base(s)

A

Select Filters *i*

Select...

Query Database

Form Utilities

Gene Spans

Cytoband(s)

Query Examples

CNV Example

SNV Example

Range Example

Gene Match


Aminoacid Example

Identifier - HeLa

Beacon Queries

Range ("anything goes") Request

- defined through the use of 1 start, 1 end
- any variant... but can be limited by type etc.



Beacon Query Types

Sequence / Allele CNV (Bracket) **Genomic Range** Aminoacid Gene ID HGVS Sam

Dataset

Test Database - exemplez x

Chromosome

17 (NC_000017.11)

Variant Type

SO:0001059 (any sequence alteration - S...

Start or Position

7572826

End (Range or Structural Var.)

7579005

Reference Base(s)

N

Alternate Base(s)

A

Select Filters

Select...

Chromosome 17

7572826

7579005

Query Database

Form Utilities

Gene Spans

Cytoband(s)

Query Examples

CNV Example

SNV Example

Range Example

Gene Match

Aminoacid Example

Identifier - HeLa

As in the standard SNV query, this example shows a Beacon query against mutations in the **EIF4A1** gene in the DIPG childhood brain tumor dataset. However, this range + wildcard query will return any variant with alternate bases (indicated through "N"). Since parameters will be interpreted using an "AND" paradigm, either Alternate Bases OR Variant Type should be specified. The exact variants which were being found can be retrieved through the variant handover [H→O] link.


Beacon Queries

Bracket ("CNV") Query

- defined through the use of 2 start, 2 end
- any contiguous variant...

Beacon Bracket Query

Example for complete regional match



Beacon Query Types

Sequence / Allele **CNV (Bracket)** Genomic Range Aminoacid Gene ID HGVS Sarr

Dataset
Test Database - examplez x | v

Chromosome i
9 (NC_000009.12) | v

Variant Type i
EFO:0030067 (copy number deletion) | v

Start or Position i
21000001-21975098

End (Range or Structural Var.) i
21967753-23000000

Select Filters i
NCIT:C3058: Glioblastoma (100) x | v

Chromosome 9 i
21000001 21975098
21967753 23000000

Query Database

Form Utilities **Gene Spans** **Cytoband(s)**

Query Examples **CNV Example** **SNV Example** **Range Example** **Gene Match**
Aminoacid Example **Identifier - HeLa**

This example shows the query for CNV deletion variants overlapping the CDKN2A gene's coding region with at least a single base, but limited to "focal" hits (here i.e. <= ~2Mbp in size). The query is against the examplez collection and can be modified e.g. through changing the position parameters or data source.

Progenetix Stack




- JavaScript front-end is populated for query results using asynchronous access to multiple handover objects
 - biosamples and variants tables, CNV histogram, UCSC .bed loader, .pgxseg variant downloads...
- the complete middleware / CGI stack is provided through the *bycon* package
 - schemas, query stack, data transformation (Phenopackets generation)...
- data collections mostly correspond to the main Beacon default model entities
 - no separate *runs* collection; integrated w/ analyses
 - *variants* are stored per observation instance




- *collations* contain pre-computed data (e.g. CNV frequencies, statistics) and information for all grouping entity instances and correspond to **filter values**
 - PMID:10027410, NCIT:C3222, pgx:cohort-TCGA, pgx:icdom-94703...
- *querybuffer* stores id values of all entities matched by a query and provides the corresponding access handle for **handover** generation


```
_id: ObjectId("6249bb654f8f8d67eb94953b"),
id: '0765ee26-5029-4f28-b01d-9759abf5bf14',
source_collection: 'variants',
source_db: 'progenetix',
source_key: '_id',
target_collection: 'variants',
target_count: 667,
target_key: '_id',
target_values: [
  ObjectId("5bab578b727983b2e0ca99e"),
  ObjectId("5bab578d727983b2e0cb505")
]
```




variants



analyses




biosamples




individuals


Entity collections




collations




geolocs



genespans



publications




qBuffer

Utility collections

Beacon v2 Conformity and Extensions in Progenetix

Putting the + into Beacon ...

- support & use of standard Beacon v2 PUT & GET variant queries, filters and meta parameters
 - ➔ variant parameters, geneld, lengths, EFO & VCF CNV types, pagination
 - ➔ widespread, self-scoping filter use for bio-, technical- and and id parameters with switch for descending terms use (globally or per term if using POST)
- extensive use of handovers
 - ➔ asynchronous delivery of e.g. variant and sample data, data plots
- + optional use of OR logic for filter combinations (global)
- + extension of query parameters
 - ➔ geographic queries incl. \$geonear and use of GeoJSON in schemas
-  no implementation of authentication on this open dataset

Progenetix provides a number of additional services and output formats which are initiated over the /services path or provided as request parameters and are not considered Beacon extensions (though they follow the syntax where possible).



progenetix / byconaut

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

bycon.progenetix.org
github.com/progenetix/bycon/

byconaut Public

main 2 branches

mbaudis get_plot_parameters

- bin
- docs
- exports
- imports
- local
- rsrc
- services
- tmp
- .gitignore
- LICENSE
- README.md
- __init__.py
- install.py
- install.yaml
- mkdocs.yaml

progenetix / beaconplus-web

Code Pull requests Actions Projects Security Insights Settings

beaconplus-web Public

forked from progenetix/progenetix-web

main 1 branch 0 tags

This branch is 44 commits ahead, 24 commits behind progenetix:main.

mbaudis code cleaning, no feature changes

- .github/workflows cleanup
- docs still first implementation clean-up
- extra documentation
- public graphic refinement
- src code cleaning, no feature changes
- .babelrc Simplify query generation and add
- .env.development first working version
- .env.local first working version
- .env.production env
- .env.staging env
- .eslintrc.json BioSubsetsPage perf optimisations

progenetix / bycon

Code Issues Pull requests 1 Actions Projects Wiki Security 3 Insights Settings

bycon Public

main 4 branches 25 tags

mbaudis 1.3.6 be19a12 3 days ago 852 commits

.github/workflows	Create mk-bycon-docs.yaml	8 months ago
bycon	1.3.6	3 days ago
docs	1.3.6	3 days ago
local	1.3.5 preparation	2 weeks ago
.gitignore	Update .gitignore	3 months ago
LICENSE	Create LICENSE	3 years ago
MANIFEST.in	major library & install disentanglement	9 months ago
README.md	#### 2023-07-23 (v1.0.68)	4 months ago
install.py	1.3.6	3 days ago
install.yaml	v1.0.57	5 months ago
mkdocs.yaml	1.1.6	3 months ago
requirements.txt	1.3.6	3 days ago
setup.cfg	...	10 months ago
setup.py	1.3.6	3 days ago
updev.sh	1.3.6	3 days ago

About

Bycon - A Python Based Beacon API (beacon-project.io) implementation leveraging the Progenetix (progenetix.org) data model

- Readme
- CC0-1.0 license
- Activity
- 5 stars
- 4 watching
- 6 forks
- Report repository

Releases

25 tags
[Create a new release](#)

Packages

No packages published
[Publish your first package](#)

bycon.progenetix.org
github.com/progenetix/bycon/

pgxRpi

An interface API for analyzing Progenetix CNV data in R using the Beacon+ API

GitHub: <https://github.com/progenetix/pgxRpi>

Bioconductor


README.md

pgxRpi

Welcome to our R wrapper package for Progenetix REST API that leverages the capabilities of [Beacon v2](#) specification. Please note that a stable internet connection is required for the query functionality. This package is aimed to simplify the process of accessing oncogenomic data from [Progenetix](#) database.

You can install this package from GitHub using:

```
install.packages("devtools")
devtools::install_github("progenetix/pgxRpi")
```



For accessing metadata of biosamples/individuals, or learning more about filters, get started from the vignette [Introduction_1_loadmetadata](#).

For accessing CNV variant data, get started from this vignette [Introduction_2_loadvariants](#).

For accessing CNV frequency data, get started from this vignette [Introduction_3_loadfrequency](#).

For processing local pgxseg files, get started from this vignette [Introduction_4_process_pgxseg](#).

If you encounter problems, try to reinstall the latest version. If reinstallation doesn't help, please contact us.

pgxRpi

platforms **all** rank **2218 / 2221** support **0 / 0** in Bioc **devel only**
build **ok** updated **< 1 month** dependencies **144**

DOI: [10.18129/B9.bioc.pgxRpi](https://doi.org/10.18129/B9.bioc.pgxRpi)

This is the **development** version of pgxRpi; to use it, please install the [devel version](#) of Bioconductor.

R wrapper for Progenetix

Bioconductor version: Development (3.19)

The package is an R wrapper for Progenetix REST API built upon the Beacon v2 protocol. Its purpose is to provide a seamless way for retrieving genomic data from Progenetix database—an open resource dedicated to curated oncogenomic profiles. Empowered by this package, users can effortlessly access and visualize data from Progenetix.

Author: Hangjia Zhao [aut, cre] , Michael Baudis [aut] 


Maintainer: Hangjia Zhao <hangjia.zhao at uzh.ch>

Citation (from within R, enter `citation("pgxRpi")`):

Zhao H, Baudis M (2023). *pgxRpi: R wrapper for Progenetix*. [doi:10.18129/B9.bioc.pgxRpi](https://doi.org/10.18129/B9.bioc.pgxRpi), R package version 0.99.9, <https://bioconductor.org/packages/pgxRpi>.

pgxRpi

An interface API for analyzing Progenetix CNV data in R using the Beacon+ API



pgxRpi Public

Edit Pins Watch 2

main 1 branch 0 tags

Go to file Add file Code

hangjiaz version bump 319d27c 4 days ago 87 commits

File/Folder	Description	Last Commit
R	adapt to beacon variant export	4 days ago
data-raw	add data documentation; optimise get method which causes error in ...	3 months ago
data	change based on opinion from bioc reviewer	last month
inst	add data documentation; optimise get method which causes error in ...	3 months ago
man	documentation for parameters using match.arg	last month
tests	adapt to API change; optimise code logic	last month
vignettes	documentation for parameters using match.arg	last month
.Rbuildignore	change vignette buildter; build vignette	2 months ago
.gitignore	modify gitignore	2 months ago
DESCRIPTION	version bump	4 days ago
NAMESPACE	add pgxFilter; change variant query logic and url; other code change...	last month
NEWS.md	add pgxFilter; change variant query logic and url; other code change...	last month
README.md	add pgxFilter; change variant query logic and url; other code change...	last month

2 Retrieve metadata of samples

2.1 Relevant parameters

type, filters, filterLogic, individual_id, biosample_id, codematches, limit, skip

2.2 Search by filters

Filters are a significant enhancement to the [Beacon](#) query API, providing a mechanism for specifying rules to select records based on their field values. To learn more about how to utilize filters in Progenetix, please refer to the [documentation](#).

The `pgxFilter` function helps access available filters used in Progenetix. Here is the example use:

```
# access all filters
all_filters <- pgxFilter()
# get all prefix
all_prefix <- pgxFilter(return_all_prefix = TRUE)
# access specific filters based on prefix
ncit_filters <- pgxFilter(prefix="NCIT")
head(ncit_filters)
#> [1] "NCIT:C28076" "NCIT:C18000" "NCIT:C14158" "NCIT:C14161" "NCIT:C28077"
#> [6] "NCIT:C28078"
```


The following query is designed to retrieve metadata in Progenetix related to all samples of lung adenocarcinoma, utilizing a specific type of filter based on an [NCIT code](#) as an ontology identifier.

```
biosamples <- pgxLoader(type="biosample", filters = "NCIT:C3512")
# data looks like this
biosamples[c(1700:1705),]
#>      biosample_id group_id group_label individual_id callset_ids
#> 1700 pgxbs-kftvjhhx      NA          NA pgxind-kftx5fyd pgxcs-kftwjewi
#> 1701 pgxbs-kftvjhhz      NA          NA pgxind-kftx5fyf pgxcs-kftwjew0
#> 1702 pgxbs-kftvjji1      NA          NA pgxind-kftx5fyh pgxcs-kftwjewi
#> 1703 pgxbs-kftvjjn2      NA          NA pgxind-kftx5g4r pgxcs-kftwjg5r
#> 1704 pgxbs-kftvjjn4      NA          NA pgxind-kftx5g4t pgxcs-kftwjg6q
#> 1705 pgxbs-kftvjjn5      NA          NA pgxind-kftx5g4v pgxcs-kftwjg78
```

What Can You Do?

- implement procedures and standards supporting **data discovery** (FAIR principles) and federation approaches
- forward looking consent and data protection models adhering to **ORD** principles ("*as secure as necessary, as open as possible*")
- **support** and/or get involved with international **data standards** efforts and projects


➔ **Collaborate!**



What Can You Do?

- implement procedures and standards supporting **data discovery** (FAIR principles) and federation approaches
- forward looking consent and data protection models adhering to **ORD** principles ("*as secure as necessary, as open as possible*")
- **support** and/or get involved with international **data standards** efforts and projects

➔ **Collaborate!**



Beacon Queries

Missing or ill defined options

- translocations are in principle possible (start bracket with "referenceName" and end bracket with "mateName") but not yet documented / battle tested
- functional elements?
- exon hits beyond specifying individual ones by sequence
- tandem dups ...

➔ **Beacon & hCNV Scout Team**

Beacon Query Types

Sequence / Allele

CNV (Bracket)

Genomic Range

Aminoacid

Gene ID

HGVS

Sarr

Dataset

Test Database - exemplez x

Chromosome *i*

Select...

Variant Type *i*

Select...

Start or Position *i*

19000001-21975098

Reference Base(s) *i*

N

Alternate Base(s)

A

Select Filters *i*

Select...

Query Database

Form Utilities

⚙️ Gene Spans

⚙️ Cytoband(s)

Query Examples

CNV Example

SNV Example

Range Example

Gene Match


Aminoacid Example

Identifier - HeLa

- h-CNV Community
- Homepage & News
- About ...
- h-CNV Projects
- CNV Annotation Standards
- Databases & Resources
- CNV References Project
- Contacts
- Genome Blog
- h-CNV @ ELIXIR
- Beacon Project

ELIXIR Human Copy Number Variation community

Among the different types of inherited and acquired genomic variants, regional genomic copy number variations (CNV) contribute - if measured by affected genomic sequences - contribute by far the largest amount of genomic changes, contributing both to many syndromic diseases as well as the vast majority of human cancers. The [website](#) of the *Human Copy Number Variation Community* (hCNV) is a resource originated in ELIXIR's h-CNV Community Implementation Study (2019-2021) with the aim to provide a resource hub and knowledge exchange space for scientists and practitioners working with - or being interested in - genomic copy number variations in health and diseases. However, the scope of the community extends beyond CNVs and includes definition of and work with other types of genomic variations with a focus on structural variants.



ELIXIR hCNV Community

<https://cnvar.org/>

CNV Annotation Formats

- h-CNV Community
- Homepage & News
- About ...
- h-CNV Projects
- CNV Annotation Standards
- Databases & Resources
- CNV References Project
- Contacts
- Genome Blog
- h-CNV @ ELIXIR
- Beacon Project

CNV Term Use Comparison in Computational (File/Schema) Formats

This table is maintained in parallel with the [Beacon v2 documentation](#).

EFO	Beacon	VCF	SO	GA4GH VRS ¹	Notes
EFO:0030070 copy number gain	DUP ² or EFO:0030070	DUP SVCLAIM=D ³	SO:0001742 copy_number_gain	EFO:0030070 gain	a sequence alteration whereby the copy number of a given genomic region is greater than the reference sequence
EFO:0030071 low-level copy number gain	DUP ² or EFO:0030071	DUP SVCLAIM=D ³	SO:0001742 copy_number_gain	EFO:0030071 low-level gain	
EFO:0030072 high-level copy number gain	DUP ² or EFO:0030072	DUP SVCLAIM=D ³	SO:0001742 copy_number_gain	EFO:0030072 high-level gain	commonly but not consistently used for >=5 copies on a bi-allelic genome region
EFO:0030073 focal genome amplification	DUP ² or EFO:0030073	DUP SVCLAIM=D ³	SO:0001742 copy_number_gain	EFO:0030072 high-level gain ⁴	commonly but not consistently used for >=5 copies on a bi-allelic genome region, of limited size (operationally max. 1-5Mb)
EFO:0030067 copy number loss	DEL ² or EFO:0030067	DEL SVCLAIM=D ³	SO:0001743 copy_number_loss	EFO:0030067 loss	a sequence alteration whereby the copy number of a given genomic region is smaller than the reference sequence
EFO:0030068 low-level copy number loss	DEL ² or EFO:0030068	DEL SVCLAIM=D ³	SO:0001743 copy_number_loss	EFO:0030068 low-level loss	
EFO:0020073 high-level copy number loss	DEL ² or EFO:0020073	DEL SVCLAIM=D ³	SO:0001743 copy_number_loss	EFO:0020073 high-level loss	a loss of several copies; also used in cases where a complete genomic deletion cannot be asserted





Jordi Rambla
 Arcadi Navarro
 Roberto Ariosa
 Manuel Rueda
 Lauren Fromont
 Mauricio Moldes
 Claudia Vasallo
 Babita Singh
 Sabela de la Torre
 Marta Ferri
 Fred Haziza



Juha Törnroos
 Teemu Kataja
 Ilkka Lappalainen
 Dylan Spalding



Tony Brookes
Tim Beck
 Colin Veal
 Tom Shorter



Michael Baudis
Rahel Paloots
Hangjia Zhao
Ziyang Yang
 Bo Gao
 Qingyao Huang



Augusto Rendon
Ignacio Medina
 Javier López
 Jacobo Coll
 Antonio Rueda



centre nacional d'anàlisi genòmica
 centro nacional de análisis genómico

Sergi Beltran
 Carles Hernandez



Institut national
 de la santé et de la recherche médicale

David Salgado



Salvador Capella
 Dmitry Repchevski
 JM Fernández



Laura Furlong
 Janet Piñero



Serena Scollen
 Gary Saunders
 Giselle Kerry
 David Lloyd



Nicola Mulder
 Mamana
 Mbiyavanga
 Ziyaad Parker



David Torrents



Dean Hartley




Fundación Progreso y Salud
 CONSEJERÍA DE SALUD

Joaquin Dopazo
 Javier Pérez
 J.L. Fernández
 Gema Roldan



Thomas Keane
 Melanie Courtot
 Jonathan Dursi



Heidi Rehm
 Ben Hutton



Toshiaki
 Katayama



Stephane Dyke




Marc Fiume
 Miro Cupak



BRCA EXCHANGE

Melissa Cline



Diana Lemos



GA4GH Phenopackets
 Peter Robinson
 Jules Jacobsen



GA4GH VRS
 Alex Wagner
 Reece Hart

Beacon PRC

Alex Wagner
 Jonathan Dursi
 Mamana Mbiyavanga
 Alice Mann
 Neerjah Skantharajah





Universität
Zürich^{UZH}



Swiss Institute of
Bioinformatics





Universität
Zürich^{UZH}



Swiss Institute of
Bioinformatics

